Journal of MOLECULAR BIOLOGY

Editor in Chief
S. BRENNER

Editors

P. Chambon
M. Gottesman
R. Huber
A. Klug
B. Mach
K. Matsubara
P. von Hippel

Associate Editors

C. R. Cantor
N.-H. Chua
D. J. DeRosier
A. R. Fersht
W. A. Hendrickson
I. B. Holland
J. Karn
R. Laskey
V. Luzzati
B. Matthews
J. H. Miller
M. F. Moody
T. Richmond
R. Schleif
N. L. Sternberg

Volume 203

5 September to 20 October 1988

ACADEMIC PRESS
(Harcourt Brace Jovanovich, Publishers)
London Orlando San Diego New York
Toronto Montreal Sydney Tokyo

Copyright © 1988, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

Contents of Volume 203

Number 1, 5 September 1988

Ikemura, T. and Aota, S.-i., Global Variation in G+C Content Along Vertebrate Genome DNA. Possible Correlation with Chromosome Band Structures 1

Hu, J. C. and Gross, C. A., Mutations in *rpoD* that Increase Expression of Genes in the *mal* Regulon of *Escherichia coli* K-12 15

Siegele, D. A., Hu, J. C. and Gross, C. A., Mutations in *rpoD*, the Gene Encoding the σ^{70} Subunit of *Escherichia coli* RNA Polymerase, that Increase Expression of the *lac* Operon in the Absence of CAP–cAMP 29

Fulford, W. and Model, P., Bacteriophage f1 DNA Replication Genes. II. The Roles of Gene *V* Protein and Gene *II* Protein in Complementary Strand Synthesis . . . 39

Fulford, W. and Model, P., Regulation of Bacteriophage f1 DNA Replication. I. New Functions for Genes *II* and *X* 49

Murray, V. and Martin, R. F., Sequence Specificity of ^{125}I-labelled Hoechst 33258 Damage in Six Closely Related DNA Sequences 63

Curran, J. F. and Yarus, M., Use of tRNA Suppressors to Probe Regulation of *Escherichia coli* Release Factor 2 75

Makino, K., Shinagawa, H., Amemura, M., Kimura, S., Nakata, A. and Ishihama, A., Regulation of the Phosphate Regulon of *Escherichia coli*. Activation of *pstS* Transcription by PhoB Protein *in Vitro* 85

Schiller, P., Amin, J., Ananthan, J., Brown, M. E., Scott, W. A. and Voellmy, R., *Cis*-acting Elements Involved in the Regulated Expression of a Human *HSP70* Gene. 97

Brown, M. E., Amin, J., Schiller, P., Voellmy, R. and Scott, W. A., Determinants for the DNase I-hypersensitive Chromatin Structure 5′ to a Human *HSP70* Gene . . 107

Gerdes, K., Helin, K., Christensen, O. W. and Løbner-Olesen, A., Translational Control and Differential RNA Decay are Key Elements Regulating Postsegregational Expression of the Killer Protein Encoded by the *parB* Locus of Plasmid R1 . . 119

Roth, M. J., Tanese, N. and Goff, S. P., Gene Product of Moloney Murine Leukemia Virus Required for Proviral Integration is a DNA-binding Protein 131

Wikström, P. M., Byström, A. S. and Björk, G. R., Non-autogenous Control of Ribosomal Protein Synthesis from the *trmD* Operon in *Escherichia coli* 141

Skarnes, W. C., Tessier, D. C. and Acheson, N. H., RNA Polymerases Stall and/or Prematurely Terminate Nearby Both Early and Late Promoters on Polyomavirus DNA 153

Cross, R. A., Jackson, A. P., Citi, S., Kendrick-Jones, J. and Bagshaw, C. R., Active Site Trapping of Nucleotide by Smooth and Non-muscle Myosins 173

Kitamoto, T., Nishigai, M., Sasaki, T. and Ikai, A., Structure of Fatty Acid Synthetase from the Harderian Gland of Guinea Pig. Proteolytic Dissection and Electron Microscopic Studies 183

Metzler, C. M., Mitra, J., Metzler, D. E., Makinen, M. W., Hyde, C. C., Rogers, P. H. and Arnone, A., Correlation of Polarized Absorption Spectroscopic and X-ray Diffraction Studies of Crystalline Cytosolic Aspartate Aminotransferase of Pig Hearts 197

Wilmot, C. M. and Thornton, J. M., Analysis and Prediction of the Different Types of β-Turn in Proteins 221

Coletta, M., Amiconi, G., Bellelli, A., Bertollini, A., Čarsky, J., Castagnola, M., Condò, S. and Brunori, M., Alteration of T-state Binding Properties of Naturally Glycated Hemoglobin, HbA_{1c} 233

Koehler, J. E. H., Saenger, W. and van Gunsteren, W. F., Conformational Differences Between α-Cyclodextrin in Aqueous Solution and in Crystalline Form. A Molecular Dynamics Study 241

Schultze, P., Wörgötter, E., Braun, W., Wagner, G., Vašák, M., Kagi, J. H. R. and Wüthrich, K., Conformation of $[Cd_7]$-metallothionein-2 from Rat Liver in Aqueous Solution Determined by Nuclear Magnetic Resonance Spectroscopy 251

Letters to the Editor

Darst, S. A., Ribi, H. O., Pierce, D. W. and Kornberg, R. D., Two-dimensional Crystals of *Escherichia coli* RNA Polymerase Holoenzyme on Positively Charged Lipid Layers 269

Kessel, M., Brennan, M. J., Trus, B. L., Bisher, M. E. and Steven, A. C., Naturally Crystalline Porin in the Outer Membrane of *Bordetella pertussis* 275

Holmgren, A., Brändén, C.-I., Lindberg, F. and Tennent, J. M., Preliminary X-ray Study of PapD Crystals from Uropathogenic *Escherichia coli* 279

Number 2, 30 September 1988

Ohyama, K., Fukuzawa, H., Kohchi, T., Sano, T., Sano, S., Shirai, H., Umesono, K., Shiki, T., Takeuchi, M., Chang, Z., Aota, S-i., Inokuchi, H. and Ozeki, H., Structure and Organization of *Marchantia polymorpha* Chloroplast Genome. I. Cloning and Gene Identification. 281

Umesono, K., Inokuchi, H., Shiki, Y., Takeuchi, M., Chang, Z., Fukuzawa, H., Kohchi, T., Shirai, H., Ohyama, K. and Ozeki, H., Structure and Organization of *Marchantia polymorpha* Chloroplast Genome. II. Gene Organization of the Large Single Copy Region from *rps'12* to *atpB* 299

Fukuzawa, H., Kohchi, T., Sano, T., Shirai, H., Umesono, K., Inokuchi, H., Ozeki, H. and Ohyama, K., Structure and Organization of *Marchantia polymorpha* Chloroplast Genome. III. Gene Organization of the Large Single Copy Region from *rbcL* to *trnI*(CAU) 333

Kohchi, T., Shirai, H., Fukuzawa, H., Sano, T., Komano, T., Umesono, K., Inokuchi, H., Ozeki, H. and Ohyama, K., Structure and Organization of *Marchantia polymorpha* Chloroplast Genome. IV. Inverted Repeat and Small Single Copy Regions 353

Timmerman, B., Van Montagu, M. and Zambryski, P., *vir*-induced Recombination in *Agrobacterium*. Physical Characterization of Precise and Imprecise T-circle Formation 373

Volinia, S., Bernardi, F., Gambari, R. and Barrai, I., Co-localization of Rare Oligonucleotides and Regulatory Elements in Mammalian Upstream Gene Regions . 385

Nussbaum, A. and Cohen, A., Use of Bioluminescence Gene Reporter for the Investigation of Red-dependent and Gam-dependent Plasmid Recombination in *Escherichia coli* K12 391

Weiss, R., Lindsley, D., Falahee, B. and Gallant, J., On the Mechanism of Ribosomal Frameshifting at Hungry Codons 403

Rebers, J. E. and Riddiford, L. M., Structure and Expression of a *Manduca sexta* Larval Cuticle Gene Homologous to *Drosophila* Cuticle Genes 411

Brown, N. H. and Kafatos, F. C., Functional cDNA Libraries from *Drosophila* Embryos 425

Tagle, D. A., Koop, B. F., Goodman, M., Slightom, J. L., Hess, D. L. and Jones, R. T., Embryonic ε and γ Globin Genes of A Prosimian Primate (*Galago crassicaudatus*). Nucleotide and Amino Acid Sequences, Developmental Regulation and Phylogenetic Footprints 439

Thompson, J., Cundliffe, E. and Dahlberg, A. E., Site-directed Mutagenesis of *Escherichia coli* 23 S Ribosomal RNA at Position 1067 Within the GTP Hydrolysis Centre 457

Weber, R. F. and Silverman, P. M., The Cpx Proteins of *Escherichia coli* K12. Structure of the CpxA Polypeptide as an Inner Membrane Component 467

Pugh, B. F. and Cox, M. M., General Mechanism for RecA Protein Binding to Duplex DNA 479

Tanaka, S., Avigad, G., Brodsky, B. and Eikenberry, E. F., Glycation Induces Expansion of the Molecular Packing of Collagen 495

Bashford, D., Karplus, M. and Canters, G. W., Electrostatic Effects of Charge Perturbations Introduced by Metal Oxidation in Proteins. A Theoretical Analysis . 507

Letters to the Editor

Lafer, E. M., Sousa, R. J. and Rich, A., *Z*-DNA-binding Proteins in *Escherichia coli*. Purification, Generation of Monoclonal Antibodies and Gene Isolation . . . 511

Freudl, R. and Henning, U., On the Role of the Mature Part of an *Escherichia coli* Outer Membrane Protein (OmpA) in Translocation Across the Plasma Membrane . 517

Frederick, C. A., Wang, A. H.-J., Rich, A., Regan, L. and Schimmel, P., Crystallization of a Small Fragment of an Aminoacyl tRNA Synthetase . . 521

Edwards, S. L. Kraut, J., Xuong, N.h., Ashford, V., Halloran, T. P. and Mills, S. E., Crystallization and Purification of the Enzyme Anthranilate Phosphoribosyl Transferase 523

Freemont, P. S. and Rüger, W., Crystallization and Preliminary X-ray Studies of T4 Phage β-Glucosyltransferase 525

Fischmann, T., Souchon, H., Riottot, M.-M., Tello, D. and Poljak, R. J., Crystallization and Preliminary X-ray Diffraction Studies of Two New Antigen–Antibody (Lysozyme–Fab) Complexes 527

Number 3, 5 October 1988

Turner, D. R., Joyce, L. E. and Butler, P. J. G., The Tobacco Mosaic Virus Assembly Origin RNA. Functional Characteristics Defined by Directed Mutagenesis . . . 531

McClain, W. H., Wilson, J. H. and Seidman, J. G., Genetic Analysis of Structure and Function in Phage T4 $tRNA^{Ser}$ 549

Cochrane, A. W. and Deeley, R. G., Estrogen-dependent Activation of the Avian Very Low Density Apolipoprotein II and Vitellogenin Genes. Transient Alterations in mRNA Polyadenylation and Stability Early during Induction 555

Yamada, M. and Saier, M. H., Jr, Positive and Negative Regulators for Glucitol (*gut*) Operon Expression in *Escherichia coli* 569

Carlomagno, M. S., Chiariotti, L., Alifano, P., Nappo, A. G. and Bruni, C. B., Structure and Function of the *Salmonella typhimurium* and *Escherichia coli* K-12 Histidine Operons 585

Howell, N. and Gilbert, K., Mutational Analysis of the Mouse Mitochondrial Cytochrome *b* Gene 607

Appendix: Howell, N. and Howell, B., A String-searching Program for Mutational Analysis 618

LeClerc, J. E., Christensen, J. R., Tata, P. V., Christensen, R. B. and Lawrence, C. W., Ultraviolet Light Induces Different Spectra of *lacI* Sequence Changes in Vegetative and Conjugating Cells of *Escherichia coli* 619

Appendix: Primary Sequence Data for This Work and for Christensen *et al.* (1988) . 627

Christensen, J. R., LeClerc, J. E., Tata, P. V., Christensen, R. B. and Lawrence, C. W., UmuC Function is Not Essential for the Production of All Targeted *lacI* Mutations Induced by Ultraviolet Light 633

Wek, R. C. and Hatfield, G. W., Transcriptional Activation at Adjacent Operators in the Divergent–Overlapping *ilvY* and *ilvC* Promoters of *Escherichia coli* 643

Peter, B., Man, Y. M., Begg, C. E., Gall, I. and Leader, D. P., Mouse Cytoskeletal γ-Actin: Analysis and Implications of the Structure of Cloned cDNA and Processed Pseudogenes 665

Begg, C. E., Delius, H. and Leader, D. P., Duplicated Region of the Mouse Genome Containing a Cytoplasmic γ-Actin Processed Pseudogene Associated with Long Interspersed Repetitive Elements 677

Huijser, P., Kirchhoff, C., Lankenau, D.-H. and Hennig, W., Retrotransposon-like Sequences are Expressed in Y Chromosomal Lampbrush Loops of *Drosophila hydei* . 689

Lill, R., Lepier, A., Schwägele, F., Sprinzl, M., Vogt, H. and Wintermeyer, W., Specific Recognition of the 3′-Terminal Adenosine $tRNA^{Phe}$ in the Exit Site of *Escherichia coli* Ribosomes 699

Hudson, D. E., Wellems, T. E. and Miller, L. H., Molecular Basis for Mutation in a Surface Protein Expressed by Malaria Parasites 707

Arnold, W., Rump, A., Klipp, W., Priefer, U. B. and Pühler, A., Nucleotide Sequence of a 24,206-base-pair DNA Fragment Carrying the Entire Nitrogen Fixation Gene Cluster of *Klebseilla pneumoniae* 715

Everett, R. D., Promoter Sequence and Cell Type can Dramatically Affect the Efficiency of Transcriptional Activation Induced by Herpes Simplex Virus Type 1 and its Immediate-early Gene Products Vmw175 and Vmw110 739

Wagenknecht, T., Frank, J., Boublik, M., Nurse, K. and Ofengand, J., Direct Localization of the tRNA–Anticodon Interaction Site on the *Escherichia coli* 30 S Ribosomal Subunit by Electron Microscopy and Computerized Image Averaging . 753

Herzberg, O. and James, M. N. G., Refined Crystal Structure of Troponin C from Turkey Skeletal Muscle at 2·0 Å Resolution 761

Curmi, P. M. G., Stone, D. B., Schneider, D. K., Spudich, J. A. and Mendelson, R. A., Comparison of the Structure of Myosin Subfragment 1 Bound to Actin and Free in Solution. A Neutron Scattering Study Using Actin Made "Invisible" by Deuteration . 781

Schiffer, M., Chang, C.-H., Naik, V. M. and Stevens, F. J., Analysis of Immunoglobulin Domain Interactions. Evidence for a Dominant Role of Salt Bridges 799

Brünger, A. T., Crystallographic Refinement by Simulated Annealing. Application to a 2·8 Å Resolution Structure of Aspartate Aminotransferase 803

Letters to the Editor

Tsui, P. and Freundlich, M., Integration Host Factor Binds Specifically to Sites in the *ilvGMEDA* Operon in *Escherichia coli* 817

Sussman, J. L., Harel, M., Frolow, F., Varon, L., Toker, L., Futerman, A. H. and Silman, I., Purification and Crystallization of a Dimeric Form of Acetylcholinesterase from *Torpedo californica* Subsequent to Solubilization with Phosphatidylinositol-specific Phospholipase C 821

Riechmann, L., Foote, J. and Winter, G., Expression of an Antibody Fv Fragment in Myeloma Cells 825

Leahy, D. J., Hynes, T. R., McConnell, H. M. and Fox, R. O., Crystallization of an Anti-2,2,6,6-Tetramethyl-1-piperidinyloxy-dinitrophenyl Monoclonal Antibody Fab Fragment With and Without Bound Hapten 829

Yonath, A., Glotz, C., Gewitz, H. S., Bartels, K. S., von Böhlen, K., Makowski, I. and Wittmann, H. G., Characterization of Crystals of Small Ribosomal Subunits. 831

Errata 835

Number 4, 20 October 1988

Tyler-Smith, C., Taylor, L. and Müller, U., Structure of a Hypervariable Tandemly Repeated DNA Sequence on the Short Arm of the Human Y Chromosome . . . 837

Fotaki, M. E. and Iatrou, K., Identification of a Transcriptionally Active Pseudogene in the Chorion Locus of the Silkmoth *Bombyx mori*. Regional Sequence Conservation and Biological Function 849

Lavery, P. E. and Kowalczykowski, S. C., Biochemical Basis of the Temperature-Inducible Constitutive Protease Activity of the RecA441 Protein of *Escherichia coli* . 861

de Lorenzo, V., Giovannini, F., Herrero, M. and Neilands, J. B., Metal Ion Regulation of Gene Expression. Fur Repressor–Operator Interaction at the Promoter Region of the Aerobactin System of pColV-K30 875

Potapov, A. P., Soldatkin, K. A., Soldatkin, A. P. and El'skaya, A. V., Role of a Template Sugar-Phosphate Backbone in the Ribosomal Decoding Mechanism. Comparative Study of Poly(U) and Poly(dT) Template Activity 885

Nakamura, S., Nabeshima, Y.-i., Kobayashi, H., Nabeshima, Y., Nonomura, Y. and Fujii-Kuriyama, Y., Single Chicken Cardiac Myosin Alkali Light-chain Gene Generates Two Different mRNAs by Alternative Splicing of a Complex Exon . . 895

Sandler, P. and Weisblum, B., Erythromycin-induced Stabilization of *ermA* Messenger RNA in *Staphylococcus aureus* and *Bacillus subtilis* 905

Mita, K., Ichimura, S., Zama, M. and James, T. C., Specific Codon Usage Pattern and its Implications on the Secondary Structure of Silk Fibroin mRNA 917

Pinkney, M., Diaz, R., Lanka, E. and Thomas, C. M., Replication of Mini RK2 Plasmid in Extracts of *Escherichia coli* Requires Plasmid-encoded Protein TrfA and Host-encoded Proteins DnaA, B, G, DNA Gyrase and DNA Polymerase III 927

Walter, R. B., Pierce, J., Case, R. and Tang, M.-s., Recognition of the DNA Helix Stabilizing Anthramycin–N2 Guanine Adduct by UVRABC Nuclease 939

Smith, L. D. and Bertrand, K. P., Mutations in the Tn*10 tet* Repressor that Interfere with Induction. Location of the Tetracycline-binding Domain 949

Benson, S. A., Occi, J. L. and Sampson, B. A., Mutations that Alter the Pore Function of the OmpF Porin of *Escherichia coli* K12 961

Bestor, T., Laudano, A., Mattaliano, R. and Ingram, V., Cloning and Sequencing of a cDNA Encoding DNA Methyltransferase of Mouse Cells. The Carboxyl-terminal Domain of the Mammalian Enzyme is Related to Bacterial Restriction Methyltransferases 971

Tanaka, K., Yoshimura, T., Ichihara, A., Ikai, A., Nishigai, M., Morimoto, Y., Sato, M., Tanaka, N., Katsube, Y., Kameyama, K. and Takagi, T., Molecular Organization of a High Molecular Weight Multi-protease Complex from Rat Liver . 985

Graziano, V., Gerchman, S. E. and Ramakrishnan, V., Reconstitution of Chromatin Higher-order Structure from Histone H5 and Depleted Chromatin 997

Bauer, C.-P. and Knippers, R., Protein-induced Bending of the Simian Virus 40 Origin of Replication 1009

Dreusicke, D. and Schulz, G. E., The Switch Between Two Conformations of Adenylate Kinase 1021

Stein, A. and Mitchell, M., Generation of Different Nucleosome Spacing Periodicities *in Vitro*. Possible Origin of Cell Type Specificity 1029

Ladenstein, R., Schneider, M., Huber, R., Bartunik, H.-D., Wilson, K., Schott, K. and Bacher, A., Heavy Riboflavin Synthase from *Bacillus subtilis*. Crystal Structure Analysis of the Icosahedral β_{60} Capsid at 3·3 Å Resolution 1045

Baker, E. N., Structure of Azurin from *Alcaligenes denitrificans* Refinement at 1·8 Å Resolution and Comparison of the Two Crystallographically Independent Molecules . 1071

Skarżyński, T. and Wonacott, A. J., Coenzyme-induced Conformational Changes in Glyceraldehyde-3-Phosphate Dehydrogenase from *Bacillus stearothermophilus* . . 1097

Kitagishi, K., Ikeda-Saito, M. and Yonetani, T., Transient Kinetics of Oxygen Dissociation from Ferrous Subunits of Iron–Cobalt Hybrid Hemoglobins. The Principal Reaction Controlling the Co-operativity 1119

Appendix 1124

Letters to the Editor

Way, M. and Weeds, A., Nucleotide Sequence of Pig Plasma Gelsolin. Comparison of Protein Sequence with Human Gelsolin and Other Actin-severing Proteins Shows Strong Homologies and Evidence for Large Internal Repeats 1127

Dhanaraj, V., Patanjali, S. R., Surolia, A. and Vijayan, M., Preparation and Preliminary X-ray Studies of Two Crystal Forms of Anti-T Lectin from Jackfruit (*Artocarpus integrifolia*) 1135

Chen, L., Lim, L. W., Mathews, F. S., Davidson, V. L. and Husain, M., Preliminary X-ray Crystallographic Studies of Methylamine Dehydrogenase and Methylamine Dehydrogenase–Amicyanin Complexes from *Paracoccus denitrificans* . 1137

Index to Volume 203

Acetylcholinesterase from *Torpedo californica*, purification and crystallization of a dimeric form, 821

Acheson, N. H. (see also Skarnes, W. C.), 153

Actin made "invisible" by deuteration, a neutron scattering study; comparison of the structure of myosin subfragment 1 bound to actin and free in solution, 781

γ-Actin, cytoskeletal, mouse; analysis and implications of the structure of cloned cDNA and processed pseudogenes, 665

γ-Actin processed pseudogene associated with long interspersed repetitive elements; duplicated region of mouse genome, 677

Active site trapping of nucleotide by smooth and non-muscle myosins, 173

Adenylate kinase, the switch between two conformations, 1021

Adjacent operators in the divergent-overlapping *ilvY* and *ilvC* promoters of *Escherichia coli*, 643

Aerobactin system of pColV-K30, Fur repressor–operator interaction at the promoter region; metal ion regulation of gene expression, 875

Agrobacterium, *vir*-induced recombination; physical characterization of T-circle formation, 373

Alcaligenes denitrificans azurin, structure refined at 1·8 Å resolution, 1071

Alifano, P. (see also Carlomagno, M. S.), 585

Amemura, M. (see also makino, K.), 85

Amiconi, G. (see also Coletta, A.), 233

Amin, J. (see also Brown, M. E.), 107

Amin, J. (see also Schiller, P.), 97

Aminoacyl tRNA synthetase, crystallization of a small fragment, 521

Ananthan, J. (see also Schiller, P.), 97

Annealing, simulated, and crystallographic refinement; 2·8 Å resolution structure of aspartate aminotransferase, 803

Anthramycin–DNA adduct, recognition by UVRABC nuclease, 939

Anthranilate phosphoribosyl transferase, crystallization and purification 523

Antibody Fv fragment expression in myeloma cells, 825

Antigen–antibody (lysozyme–Fab) complexes, crystallization and X-ray studies, 527

Anti-T lectin from jackfruit (*Artocarpus integrifolia*), X-ray studies of two crystal forms, 1135

Anti-2,2,6,6-tetramethyl-1-piperidinyloxy-dinitrophenyl monoclonal antibody Fab fragment, crystallization with and without bound hapten, 829

Aota, S.-I. (see also Ikemura, T.), 1

Aota, S.-I. (see also Ohyama, K.), 281

Apolipoprotein II, avian very low density, gene; estrogen-dependent activation, 555

Arnold, W., Rump, A., Klipp, W., Priefer, U. B. & Pühler, A., Nucleotide sequence of a 24,206-base-pair DNA fragment carrying the entire nitrogen fixation gene cluster of *Klebsiella pneumoniae*, 715

Arnone, A. (see also Metzler, C. M.), 197

Artocarpus integrifolia, X-ray studies of two crystal forms of the anti-T lectin, 1135

Ashford, V. (see also Edwards, S. L.), 523

Aspartate aminotransferase, 2·8 Å resolution structure using crystallographic refinement by simulated annealing, 803

Aspartate aminotransferase of pig hearts, polarized absorption spectroscopic and X-ray diffraction studies, 197

Assembly origin RNA, TMV; functional characteristics defined by directed mutagenesis, 531

Avian very low density apolipoprotein II and vitellogenin genes, estrogen-dependent activation, 555

Avigad, G. (see also Tanaka, S.), 495

Azurin from *Alcaligenes denitrificans*, structure refinement at 1·8 Å resolution, 1071

Bacher, A. (see also Ladenstein, R.), 1045

Bacillus stearothermophilus, coenzyme-induced conformational changes in glyceraldehyde-3-phosphate dehydrogenase, 1097

Bacillus subtilis, erythromycin-induced stabilization of *ermA* mRNA, 905

Bacillus subtilis heavy riboflavin synthase; structure of the icosahedral β_{60} capsid at 3·3 Å. resolution, 1045

Bacteriophage f1 DNA replication genes; roles of gene *V* protein and gene *II* protein in complementary strand synthesis, 39

Bacteriophage f1 DNA replication regulation; new functions for genes *II* and *X*, 49

Bagshaw, C. R. (see also Cross, R. A.), 173

Baker, E. N., Structure of azurin from *Alcaligenes denitrificans*. Refinement at 1·8 Å resolution and comparison of the two crystallographically independent molecules, 1071

Barrai, I. (see also Volinia, S.), 385

Bartels, K. S. (see also Yonath, A.), 831

Bartunik, H.-D. (see also Ladenstein, R.), 1045

Bashford, D., Karplus, M. & Canters, G. W., Electrostatic effects of charge perturbations introduced by metal oxidation in proteins. A theoretical analysis, 507

Bauer, C.-P. & Knippers, R., Protein-induced bending of the simian virus 40 origin of replication, 1009

Begg, C. E., Delius, H. & Leader, D. P., Duplicated region of the mouse genome containing a cytoplasmic γ-actin processed pseudogene associated with long interspersed repetitive elements, 677

Begg, C. E. (see also Peter, B.), 665

Bellelli, A. (see also Coletta, M.), 233

Bending, protein-induced, of the SV40 virus origin of replication, 1009

Benson, S. A., Occi, J. L. & Sampson, B. A., Mutations that alter the pore function of the OmpF porin of *Escherichia coli* K12, 961

Bernardi, F. (see also Volinia, S.), 385

Bertollini, A. (see also Coletta, M.), 233

Bertrand, K. P. (see also Smith, L. D.), 949

Bestor, T., Laudano, A., Mattaliano, R. & Ingram, V., Cloning and sequencing of a cDNA encoding DNA methyltransferase of mouse cells. The carboxy-terminal domain of the mammalian enzyme is related to bacterial restriction methyltransferases, 971

Binding of RecA protein to duplex DNA; general mechanism, 479

Biochemical basis of the temperature-inducible constitutive protease activity of the RecA441 protein of *E. coli*, 861

Bioluminescence gene reporter, use in investigation of Red-dependent and Gam-dependent plasmid recombination in *E. coli* K12, 391

Bisher, M. E. (see also Kessel, M.), 275

Björk, G. R. (see also Wikström, P. M.), 141

Bombyx mori, identification of a transcriptionally active pseudogene in the chorion locus; regional sequence conservation and biological function, 849

Bordetella pertussis, naturally crystalline porin in the outer membrane, 275

Boublik, M. (see also Wagenknecht, T.), 753

Brändén, C.-I. (see also Holmgren, A.), 279

Braun, W. (see also Schultze, P.), 251

Brennan, M. J. (see also Kessel, M.), 275

Brodsky, B. (see also Tanaka, S.), 495

Brown, M. E., Amin, J., Schiller, P., Voellmy, R. & Scott, W. A., Determinants for the DNase I-hypersensitive chromatin structure 5′ to a human *HSP70* gene, 107

Brown, M. E. (see also Schiller, P.), 97

Brown, N. H. & Kafatos, F. C., Functional cDNA libraries from *Drosophila* embryos, 425

Brünger, A. T., Crystallographic refinement by simulated annealing. Application to a 2·8 Å resolution structure of aspartate aminotransferase, 803

Bruni, C. B. (see also Carlomagno, M. S.), 585

Brunori, M. (see also Coletta, M.), 233

Butler, P. J. G. (see also Turner, D. R.), 531

Byström, A. S. (see also Wikström, P. M.), 141

Canters, G. W. (see also Bashford, D.), 507

CAP–cAMP absence, and increased expression of the *lac* operon by *rpoD* mutations, 29

Carboxyl-terminal domain of the mammalian enzymes is related to bacterial restriction methyltransferases; cloning and sequencing of a cDNA encoding DNA methyltransferase of mouse cells, 971
Cardiac myosin alkali light-chain gene, single, generates two different mRNAs by alternative splicing of a complex exon, 895
Carlomagno, M. S., Chiariotti, L., Alifano, P., Nappo, A. G. & Bruni, C. B., Structure and function of the *Salmonella typhimurium* and *Escherichia coli* K-12 histidine operons, 585
Čarsky, J. (see also Coletta, M.), 233
Case, R. (see also Walter, R. B.), 939
Castagnola, M. (see also Coletta, M.), 233
[Cd_7]-metallothionein-2 from rat liver, conformation in aqueous solution determined by n.m.r. spectroscopy, 251
cDNA, cloned, structure; mouse cytoskeletal γ-actin, 665
cDNA encoding DNA methyltransferase of mouse cells; cloning and sequencing, 971
cDNA libraries from *Drosophila* embryos, 425
Cloning and gene identification; *Marchantia polymorpha* chloroplast genome, 281
Cloning and sequencing of a cDNA encoding DNA methyltransferase of mouse cells, 971
Cobalt–iron hybrid hemoglobins, transient kinetics of oxygen dissociation from ferrous subunits, 1119
Cochrane, A. W. & Deeley, R. G., Estrogen-dependent activation of the avian very low density apolipoprotein II and vitellogenin genes. Transient alterations in mRNA polyadenylation and stability early during induction, 555
Codon usage pattern, specific, and its implications on the secondary structure of silk fibroin mRNA 917
Coenzyme-induced conformational changes in glyceraldehyde-3-phosphate dehydrogenase from *Bacillus stearothermophilus*, 1097
Cohen, A. (see also Nussbaum, A.). 391
Coletta, M., Amiconi, G., Bellelli, A., Bertollini, A., Čarsky, J., Castagnola, M., Condò, S. & Brunori, M., Alteration of T-state binding properties of naturally glycated hemoglobin, HbA_{1c}, 233
Collagen, glycation induces expansion of the molecular packing, 495
Condò, S. (see also Coletta, M.), 233
Conformation of [Cd_7]-methallothionein-2 from rat liver in aqueous solution determined by n.m.r. spectroscopy, 251
Conformational change of adenylate kinase, 1021
Conformational changes, coenzyme-induced, in glyceraldehyde-3-phosphate dehydrogenase from *Bacillus stearothermophilus*, 1097
Conformational differences between α-cyclodextrin in aqueous solution and in crystalline form. A molecular dynamics study, 241
Control, non-autogenous, of ribosomal protein synthesis from the *trm*D operon in *E. coli*, 141
Cox, M. M. (see also Pugh, B. F.), 479
Cpx proteins of *Escherichia coli* K12. Structure of the CpxA polypeptide as an inner membrane component, 467
Cross, R. A., Jackson, A. P., Citi, S., Kendrick-Jones, J. & Bagshaw, C. R., Active site trapping of nucleotide by smooth and non-muscle myosins, 173
Crystals of small ribosomal subunits; characterization, 831
Crystals, two-dimensional, of *Escherichia coli* RNA polymerase holoenzyme on positively charged lipid layers, 269
Crystalline porin in the outer membrane of *Bordetella pertussis*, 275
Crystallization of an anti-2,2,6,6-tetramethyl-1-piperidinyloxy-dinitrophenyl monoclonal antibody Fab fragment with and without bound hapten, 829
Crystallization of a dimeric form of acetylcholinesterase from *Torpedo californica*, 821
Crystallization and purification of the enzyme anthranilate phosphoribosyl transferase, 523
Crystallization of a small fragment of an aminoacyl tRNA synthetase, 521
Crystallization and X-ray studies of T4 phage β-glucosyltransferase, 525
Crystallization and X-ray studies of two new antigen–antibody (lysozyme–Fab) complexes, 527
Crystallographic refinement by simulated annealing. Application to a 2·8 Å resolution structure of aspartate aminotransferase, 803
Chang, C.-H. (see also Schiffer, M.), 799
Chang, Z. (see also Ohyama, K.), 281
Chang, Z. (see also Umesono, K.), 299
Charge perturbations introduced by metal oxidation in proteins; theoretical analysis of electrostatic effects, 507
Chen, L., Lim, L. W., Mathews, F. S., Davidson, V. L. & Husain, M., Preliminary X-ray crystallographic studies of methylamine dehydrogenase and methylamine dehydrogenase–amicyanin complexes from *Paracoccus denitrificans*, 1137
Chiariotti, L. (see also Carlomagno, M. S.), 585
Chicken cardiac myosin alkali light-chain gene generates two different mRNAs by alternative splicing of a complex exon, 895
Chloroplast genome, *Marchantia polymorpha*, structure and organization; cloning and gene identification, 281
Chloroplast genome, *Marchantia polymorpha*, structure and organization; inverted repeat and small single copy regions, 353
Chloroplast genome, *Marchantia polymorpha*, structure and organization; the large single copy region from *rbcL* to *trnI*(CAU), 333
Chloroplast genome, *Marchantia polymorpha*, structure and organization; the large single copy region from *rps'12* to *atpB*, 299
Chorion locus of the silkmoth *Bombyx mori*, identification of a transcriptionally active pseudogene; regional sequence conservation and biological functions, 849
Christensen, J. R., Leclerc, J. E., Tata, P. V., Christensen, R. B. & Lawrence, C. W., UmuC function is not essential for the production of all targeted *lacI* mutations induced by ultraviolet light, 633
Christensen, J. R. (see also Leclerc, J. E.), 619
Christensen, O. W. (see also Gerdes, K.), 119
Christensen, R. B. (see also Christensen, J. R.), 633
Christensen, R. B. (see also Leclerc, J. E.), 619
Chromatin higher-order structure, reconstitution from histone H5 and depleted chromatin, 997
Chromatin structure, hypersensitive, over the sequences 5′ to the *HSP70* gene, 107
Chromosome band structures; correlation with global variation in G+C content along vertebrate genome DNA, 1
Cis-acting elements involved in the regulated expression of a human *HSP70* gene, 97
Citi, S. (see also Cross, R. A.), 173
Cundliffe, E. (see also Thompson, J.), 457
Curmi, P. M. G., Stone, D. B., Schneider, D. K., Spudich, J. A. & Mendelson, R. A., Comparison of the structure of myosin subfragment 1 bound to actin and free in solution. A neutron scattering study using actin made "invisible" by deuteration, 781
Curran, J. F. & Yarus, M., Use of tRNA suppressors to probe regulation of *Escherichia coli* release factor 2, 75
Cuticle gene, larval, of *Manduca sexta* homologous to *Drosophila* cuticle genes; structure and expression, 411
α-Cyclodextrin, in aqueous solution and in crystalline form; conformational differences, 241
Cytochrome *b* gene, mitochondrial, mouse mutational analysis, 607
Cytoplasmic γ-actin processed pseudogene associated with long interspersed repetitive elements; duplicated region of mouse genome, 677
Cytoskeletal γ-actin of mouse. Analysis and implications of the structure of cloned cDNA and processed pseudogenes, 665

Dahlberg, A. E. (see also Thompson, J.), 457
Darst, S. A., Ribi, H. O., Pierce, D. W. & Kornberg, R. D., Two-dimensional crystals of *Escherichia coli* RNA polymerase holoenzyme on positively charged lipid layers, 269
Davidson, V. L. (see also Chen, L.), 1137

Deeley, R. G. (see also Cochrane, A. W.), 555
Delius, H. (see also Begg, C. E.), 677
De Lorenzo, V., Giovannini, F., Herrero, M. & Neilands, J. B., Metal ion regulation of gene expression. Fur repressor–operator interaction at the promoter region of the aerobactin system of pCo1V-K30, 875
DNA-binding protein, the gene product of Moloney murine leukemia virus required for proviral integration, 131
DNA, duplex, general mechanism for RecA protein binding, 479
DNA, f1, replication regulation; new functions for genes *II* and *X*, 49
DNA, f1, replication genes; roles of gene *V* protein and gene *II* protein in complementary strand synthesis, 39
DNA fragment carrying the entire nitrogen fixation gene cluster of *Klebsiella pneumoniae*, nucleotide sequence, 715
DNA helix stabilizing anthramycin–N2 guanine adduct, recognition by UVRABC nuclease, 939
DNA methyltransferase, cDNA encoding, of mouse cells; cloning and sequencing, 971
DNA polymerase III and replication of mini RK2 plasmid in extracts of *E. coli*, 927
DNA, polyomavirus, RNA polymerases stall and/or prematurely terminate nearby both early and late promoters, 153
DNA sequences, closely related, six; sequence specificity of ^{125}I-labelled Hoechst 33258 damage, 63
DNA sequence, hypervariable tandemly repeated, on the short arm of the human *y* chromosome; structure, 827
DNA, vertebrate genome, global variation in G+C content; correlation with chromosome band structures, 1
DNase I-hypersensitive chromatin structure 5′ to a human *HSP70 gene*, 107
Dhanaraj, V., Patanjali, S. R., Surolia, A. & Vijayan, M., Preparation and preliminary X-ray studies of two crystal forms of anti-T lectin from jackfruit (*Artocarpus integrifolia*), 1135
Diaz, R. (see also Pinkney, M.), 927
Divergent-overlapping *ilvY* and *ilvC* promoters of *Escherichia coli*, transcriptional activation at adjacent operators, 643
Domain interactions, immunoglobulin; dominant role of salt bridges, 799
Dreusicke, D. & Schulz, G. E., The switch between two conformations of adenylate kinase, 1021
Drosophila cuticle genes, structure and expression of an homologous *Manduca sexta* larval cuticle gene, 411
Drosophila embryos; functional cDNA libraries, 425
Drosophila hydei, retrotransposon-like sequences are expressed in Y chromosomal lampbrush loops, 689
Duplex DNA, general mechanism for RecA protein binding, 479

Edwards, S. L., Kraut, J., Xuong, N. H., Ashford, V., Halloran, T. P. & Mills, S. E., Crystallization and purification of the enzyme anthranilate phosphoribosyl transferase, 523
Eikenberry, E. F. (see also Tanaka, S.), 495
Electron microscopic studies of the structure of fatty acid synthetase from the Harderian gland of guinea pig, 183
Electron microscopy and computerized image averaging; direct localization of the tRNA–anticodon interaction site on the *E. coli* 30 S ribosomal subunit, 753
Electrostatic effects of charge perturbations introduced by metal oxidation in proteins; theoretical analysis, 507
El'Skaya, A. V. (see also Potapov, A. P.), 885
Embryonic ε and *y* globin genes of a prosimian primate (*Galago crassicaudatus*), 439
ε and *y* globin genes, embryonic, of a prosimian primate (*Galago crassicaudatus*), 439
ermA mRNA, erythromycin-induced stabilization in *Staphylococcus aureus* and *Bacillus subtilis*, 905
Erythromycin-induced stabilization of *ermA* messenger RNA in *Staphylococcus aureus* and *Bacillus subtilis*, 905
Escherichia coli, biochemical basis of the temperature-inducible constitutive protease activity of the RecA441 protein, 861
Escherichia coli extracts, replication of mini RK2 plasmid requires plasmid-encoded protein TrfA and host-encoded proteins DnaA, B, G, DNA gyrase and DNA polymerase III, 927
Escherichia coli, integration host factor binds specifically to sites in the *ilvGMEDA* operon, 817
Escherichia coli, non-autogenous control of ribosomal protein synthesis from the *trmD* operon, 141
Escherichia coli outer membrane protein, role of the mature part in translocation across the plasma membrane, 517
Escherichia coli, positive and negative regulators for glucitol (*gut*) operon expression, 569
Escherichia coli, regulation of the phosphate regulon; activation of *pstS* transcription by PhoB protein *in vitro*, 85
Escherichia coli release factor 2, use of tRNA suppressors to probe regulation, 75
Escherichia coli 23 S ribosomal RNA, site-directed mutagenesis at position 1067 within the GTP hydrolysis centre, 457
Escherichia coli 30 S ribosomal subunit, direct localization of the tRNA–anticodon interaction site by electron microscopy and computerized image averaging, 753
Escherichia coli ribosomes, specific recognition of the 3′-terminal adenosine of tRNA^{Phe} in the exit site, 699
Escherichia coli RNA polymerase; *rpoD* mutations increase expression of the *lac* operon in the absence of CAP–cAMP, 29
Escherichia coli RNA polymerase holoenzyme, two-dimensional crystals on positively charged lipid layers, 269
Escherichia coli, transcriptional activation at adjacent operators in the divergent-overlapping *ilvY* and *ilvC* promoters, 643
Escherichia coli, ultraviolet light induces different spectra of *lacI* sequence changes in vegetative and conjugating cells, 619
Escherichia coli, uropathogenic, X-ray study of PapD crystals, 279
Escherichia coli Z-DNA-binding proteins; purification, generation of monoclonal antibodies and gene isolation, 511
Escherichia coli K12, use of a bioluminescence gene reporter for the investigation of Red-dependent and Gam-dependent plasmid recombination, 391
Escherichia coli K12, the Cpx proteins; structure of the CpxA polypeptide as an inner membrane component, 467
Escherichia coli K-12 histidine operon, structure and function, 585
Escherichia coli K12, mutations that alter the pore function of the OmpF porin, 961
Escherichia coli K-12, *rpoD* mutations increase gene expression in the *mal* regulon, 15
Estrogen-dependent activation of the avian very low density apolipoprotein II and vitellogenin genes. Transient alterations in mRNA polyadenylation and stability early during induction, 555
Everett, R. D., Promoter sequence and cell type can dramatically affect the efficiency of transcriptional activation induced by herpes simplex virus type 1 and its immediate-early gene products Vmw175 and Vmw110, 739
Exit site of *Escherichia coli* ribosomes, specific recognition of the 3′-terminal adenosine of tRNA^{Phe}, 699

f1 (see also Bacteriophage), 39, 49
Fab fragment, monoclonal antibody, anti-2,2,6,6,-tetramethyl-1-piperidinyloxy-dinitrophenyl, crystallization with and without bound hapten, 829
Falahee, B. (see also Weiss, R.), 403
Fatty acid synthetase from Harderian gland of guinea pig; structure by proteolytic dissection and electron microscopic studies, 183
Fibroin mRNA, secondary structure, and the implications of specific codon usage pattern, 917
Fischmann, T., Souchon, H., Riottot, M.-M., Tello, D. & Poljak, R. J., Crystallization and preliminary X-ray diffraction studies of two new antigen–antibody (lysozyme–Fab) complexes, 527
Foote, J. (see also Riechmann, L.), 825
Fotaki, M. E. & Iatrou, K., Identification of a transcriptionally active pseudogene in the chorion locus of the silkmoth *Bombyx mori*. Regional sequence conservation and biological function 849
Fox, R. O. (see also Leahy, D. J.), 829
Frameshifting, ribosomal, at hungry codons; mechanism, 403
Frank, J. (see also Wagenknecht, T.), 753

Frederick, C. A., Wang, A. H.-J., Rich, A., Regan, L. & Schimmel, P., Crystallization of a small fragment of an aminoacyl tRNA synthetase, 521
Freemont, P. S. & Rüger, W., Crystallization and preliminary X-ray studies of T4 phage β-glucosyltransferase, 525
Freudl, R. & Henning, U., On the role of the mature part of an *Escherichia coli* outer membrane protein (OmpA) in translocation across the plasma membrane, 517
Freundlich, M. (see also Tsui, P.), 817
Frolow, F. (see also Sussman, J. L.), 821
Fujii-Kuriyama, Y. (see also Nakamura, S.), 895
Fukuzawa, H., Kohchi, T., Sano, T., Shirai, H., Umesono, K., Inokuchi, H., Ozeki, H. & Ohyama, K., Structure and organization of *Marchantia polymorpha* chloroplast genome. III. Gene organization of the large single copy region from *rbcL* to *trnI*(CAU), 333
Fukuzawa, H. (see also Kohchi, T.), 353
Fukuzawa, H. (see also Ohyama, K.), 281
Fukuzawa, H. (see also Umesono, K.), 299
Fulford, W. & Model, P., Regulation of bacteriophage f1 DNA replication. I. New functions for genes *II* and *X*, 49
Fulford, W. & Model, P., Bacteriophage f1 DNA replication genes. II. The roles of gene *V* protein and gene *II* protein in complementary strand synthesis, 39
Functional cDNA libraries from *Drosophila* embryos, 425
Fur repressor–operator interaction at the promoter region of the aerobactin system of pColV-K30; metal ion regulation of gene expression, 875
Futerman, A. H. (see also Sussman, J. L.), 821
Fv fragment, antibody, expression in myeloma cells, 825

Galago crassicaudatus, embryonic ε and γ globin genes, 439
Gall, I. (see also Peter, B.), 665
Gallant, J. (see also Weiss, R.), 403
Gambari, R. (see also Volinia, S.), 385
Gam-dependent plasmid recombination in *E. coli* K12, investigated by bioluminescence gene reporter, 391
γ and ε globin genes, embryonic, of a prosimian primate (*Galago crassicaudatus*), 439
G+C content, global variation along vertebrate genome DNA; correlation with chromosome band structures, 1
Gelsolin, pig plasma, nucleotide sequence; comparison with human gelsolin, 1127
Gene, chicken cardiac myosin alkali light-chain, single, generates two different mRNAs by alternative splicing of a complex exon, 895
Gene cluster, nitrogen fixation of *Klebsiella pneumoniae*, in DNA fragment; nucleotide sequence, 715
Gene, cytochrome *b*, mutational analysis, 607
Gene expression in the *mal* regulon of *Escherichia coli* K-12 is increased by *rpoD* mutations, 15
Gene expression, metal ion regulation; Fur repressor–operator interaction at the promoter region of the aerobactin system of pColV-K30, 875
Gene *V* protein and gene *II* protein, their roles in complementary strand synthesis; f1 DNA replication genes, 39
Gene, *HSP70*, human, *cis*-acting elements involved in the regulated expression, 97
Gene, *HSP70*, human; determinants for a DNase I-hypersensitive chromatin structure, 107
Gene identification; *Marchantia polymorpha* chloroplast genome, 281
Genes, inverted repeat and small single copy regions; *Marchantia polymorpha* chloroplast genome, 353
Gene organization of the large single copy region from *rbcL* to *trnI*(CAU); *Marchantia polymorpha* chloroplast genome, 333
Gene organization of the large single copy region from *rps12* to *atpB*; *Marchantia polymorpha* chloroplast genome, 299
Gene products, IE, Vmw175 and Vmw110 of HSV-1; promoter sequence and cell types can dramatically affect the efficiency of transcriptional activation, 739
Gene product of Moloney murine leukemia virus required for proviral integration is a DNA-binding protein, 131
Gene regions, upstream, mammalian, co-localization of rare oligonucleotides and regulatory elements, 385
Genes *II* and *X*, new functions; regulation of f1 DNA replication, 49
Genetic analysis of structure and function in phage T4 $tRNA^{Ser}$, 549
Gerchman, S. E. (see also Graziano, V.), 997
Gerdes, K., Helin, K., Christensen, O. W. & Løbner-Olesen, A., Translational control and differential RNA decay are key elements regulating postsegregational expression of the killer protein encoded by the *parB* locus of plasmid R1, 119
Gewitz, H. S. (see also Yonath, A.), 831
Gilbert, K. (see also Howell, N.), 607
Giovannini, F. (see also de Lorenzo, V.), 875
Globin genes, ε and γ, embryonic, of a prosimian primate (*Galago crassicaudatus*), 439
Glotz, C. (see also Yonath, A.), 831
Glucitol (*gut*) operon expression in *Escherichia coli*; positive and negative regulators, 569
β-Glucosyltransferase, T4, crystallization and X-ray studies, 525
Glycation induces expansion of the molecular packing of collagen, 495
Glyceraldehyde-3-phosphate dehydrogenase from *Bacillus stearothermophilus*, coenzyme-induced conformational changes, 1097
Goff, S. P. (see also Roth, M. J.), 131
Goodman, M. (see also Tagle, D. A.), 439
Graziano, V., Gerchman, S. E. & Ramakrishnan, V., Reconstitution of chromatin higher-order structure from histone H5 and depleted chromatin, 997
Gross, C. A. (see also Hu, J. C.), 15
Gross, C. A. (see also Siegele, D. A.), 29
GTP hydrolysis centre, site-directed mutagenesis of *E. coli* 23 S ribosomal RNA at position 1067, 457
Guinea pig, structure of fatty acid synthetase from the Harderian gland; proteolytic dissection and electron microscopic studies, 183
gut (see also Glucitol), 569

Halloran, T. P. (see also Edwards, S. L.), 523
Harderian gland of guinea pig, structure of fatty acid synthetase; proteolytic dissection and electron microscopic studies, 183
Harel, M. (see also Sussman, J. L.), 821
Hatfield, G. W. (see also Wek, R. C.), 643
Heavy riboflavin synthase from *Bacillus subtilis*; crystal structure analysis of the icosahedral β_{60} capsid at 3·3 Å resolution, 1045
Helin, K. (see also Gerdes, K.), 119
Hemoglobins, hybrid, iron–cobalt, transient kinetics of oxygen dissociation from ferrous subunits, 1119
Hemoglobin, naturally glycated, HbA_{1c}, alteration of T-state binding properties, 233
Hennig, W. (see also Huijser, P.), 689
Henning, U. (see also Freudl, R.), 517
Herpes simplex virus type 1 (see also Virus), 739
Herrero, M. (see also de Lorenzo, V.), 875
Herzberg, O. & James, M. N. G., Refined crystal structure of troponin C from turkey skeletal muscle at 2·0 Å resolution, 761
Hess, D. L. (see also Tagle, D. A.), 439
High molecular weight multi-protease complex from rat liver; molecular organization, 985
Histidine operons, *Salmonella typhimurium* and *Escherichia coli* K-12, structure and function, 585
Histone H5 and depleted chromatin in reconstitution of chromatin higher-order structure, 997
Hoechst 33258, ^{125}I-labelled, sequence specificity in six closely related DNA sequences, 63
Holmgren, A., Brändén, C.-I., Lindberg, F. & Tennent, J. M., Preliminary X-ray study of PapD crystals from uropathogenic *Escherichia coli*, 279
Howell, B. (see also Howell, N.), 618
Howell, N. & Gilbert, K., Mutational analysis of the mouse mitochondrial cytochrome *b* gene, 607
Howell, N. & Howell, B., A string-searching program for

mutational analysis (*Appendix* to Howell, N. & Gilbert, K., 607), 618
HSP70 gene, human, *cis*-acting elements involved in the regulated expression, 97
HSP70 gene, human; determinants for a DNase I-hypersensitive chromatin structure, 107
Hu, J. C. & Gross, C. A., Mutations in *rpoD* that increase expression of genes in the *mal* region of *Escherichia coli* K-12, 15
Hu, J. C. (see also Siegele, D. A.), 29
Huber, R. (see also Ladenstein, R.), 1045
Hudson, D. E., Wellems, T. E. & Miller, L. H., Molecular basis for mutation in a surface protein expressed by malaria parasites, 707
Huijser, P., Kirchhoff, C., Lankenau, D.-H. & Hennig, W., Retrotransposon-like sequences are expressed in Y chromosomal lampbrush loops of *Drosophila hydei*, 689
Human *HSP70* gene, *cis*-acting elements involved in the regulated expression, 97
Human *HSP70* gene; determinants for a DNase I-hypersensitive chromatin structure, 107
Human Y chromosome, structure of hypervariable tandemly repeated DNA sequence on the short arm, 837
Hungry codons, the mechanism of ribosomal frameshifting, 403
Husain, M. (see also Chen, L.), 1137
Hyde, C. C. (see also Metzler, C. M.), 197
Hynes, T. R. (see also Leahy, D. J.), 829
Hypervariable tandemly repeated DNA sequence on the short arm of the human Y chromosome: structure, 837

Iatrou, K. (see also Fotaki, M. E.), 849
Ichihara, A. (see also Tanaka, K.), 985
Ichimura, S. (see also Mita, K.), 917
Ikai, A. (see also Kitamoto, T.), 183
Ikai, A. (see also Tanaka, K.), 985
Ikeda-Saito, M. (see also Kitagishi, K.), 1119
Ikemura, T. & Aota, S.-I., Global variation in G+C content along vertebrate genome DNA. Possible correlation with chromosome band structures, 1
ilvGMEDA operon in *E. coli*. integration host factor binds specifically to sites, 817
ilvY and *ilvC* promoters, divergent-overlapping, of *E. coli*; transcriptional activation at adjacent operators, 643
Image averaging, computerized, and electron microscopy; direct localization of the tRNA–anticodon interaction site on the *E. coli* ribosomal 30 S subunit, 753
Immediate-early gene products Vmw175 and Vmw110 of herpes simplex virus type 1; promoter sequence and cell type can dramatically affect the efficiency of transcriptional activation, 739
Immunoglobulin domain interactions; dominant role of salt bridges, 799
Ingram, V. (see also Bestor, T.), 971
Inner membrane component; structure of the CpxA polypeptide, 467
Inokuchi, H. (see also Fukuzawa, H.), 333
Inokuchi, H. (see also Kohchi, T.), 353
Inokuchi, H. (see also Ohyama, K.), 281
Inokuchi, H. (see also Umesono, K.), 299
Integration host factor binds specifically to sites in the *ilvGMEDA* operon in *Escherichia coli*, 817
^{125}I-labelled Hoechst 33258 damage, sequence specificity in six closely related DNA sequences, 63
Iron–cobalt hybrid hemoglobins, transient kinetics of oxygen dissociation from ferrous subunits, 1119
Ishihama, A. (see also Makino, K.), 85

Jackfruit, X-ray studies of two crystal forms of the anti-T lectin, 1135
Jackson, A. P. (see also Cross, R. A.), 173
James, M. N. G. (see also Herzberg, G.), 761
James, T. C. (see also Mita, K.), 917
Jones, R. T. (see also Tagle, D. A.), 439
Joyce, L. E. (see also Turner, D. R.), 531

Kafatos, F. C. (see also Brown, N. H.), 425
Kagi, J. H. R. (see also Schultze, P.), 251
Kameyama, K. (see also Tanaka, K.), 985
Karplus, M. (see also Bashford, D.), 507
Katsube, Y. (see also Tanaka, K.), 985
Kendrick-Jones, J. (see also Cross, R. A.), 173
Kessel, M., Brennan, M. J., Trus, B. L., Bisher, M. E. & Steven, A. C., Naturally crystalline porin in the outer membrane of *Bordetella pertussis*, 275
Killer protein encoded by the *parB* locus of plasmid R1, key elements regulating postsegregational expression, 119
Kimura, S. (see also Makino, K.), 85
Kinetics, transient, of oxygen dissociation from ferrous subunits of iron–cobalt hybrid hemoglobins, 1119
Kirchhoff, C. (see also Huijser, P.), 689
Kitagishi, K., Ikeda-Saito, M. & Yonetani, T., Transient kinetics of oxygen dissociation from ferrous subunits of iron–cobalt hybrid hemoglobins. The principal reaction controlling the co-operativity, 1119
Kitamoto, T., Nishigai, M., Sasaki, T. & Ikai, A., Structure of fatty acid synthetase from the Harderian gland of guinea pig. Proteolytic dissection and electron microscopic studies, 183
Klebsiella pneumoniae, nucleotide sequence of a DNA fragment carrying the entire nitrogen fixation gene cluster, 715
Klipp, W. (see also Arnold, W.), 715
Knippers, R. (see Bauer, C.-P), 1009
Kobayashi, H. (see also Nakamura, S.), 895
Koehler, J. E. H., Saenger, W. & van Gunsteren, W. F., Conformational differences between α-cyclodextrin in aqueous solution and in crystalline form. A molecular dynamics study, 241
Kohchi, T., Shirai, H., Fukuzawa, H., Sano, T., Komano, T., Umesono, K., Inokuchi, H., Ozeki, H. & Ohyama, K., Structure and organization of *Marchantia polymorpha* chloroplast genome. IV. Inverted repeat and small single copy regions, 353
Kohchi, T. (see also Fukuzawa, H.), 333
Kohchi, T. (see also Ohyama, K.), 281
Kohchi, T. (see also Umesono, K.), 299
Komano, T. (see also Kohchi, T.), 353
Koop, B. F. (see also Tagle, D. A.), 439
Kornberg, R. D. (see also Darst, S. A.), 269
Kowalczykowski, S. C. (see also Lavery, P. E.), 861
Kraut, J. (see also Edwards, S. L.), 523

lac operon expression is increased by *rpoD* mutations, in the absence of CAP–cAMP, 29
lacI mutations induced by ultraviolet light, UmuC function is not essential, 635
lacI sequence changes in vegetative and conjugating cells of *Escherichia coli*; ultraviolet light induces different spectra, 619
Ladenstein, R., Schneider, M., Huber, R., Bartunik, H.-D., Wilson, K., Schott, K. & Bacher, A., Heavy riboflavin synthase from *Bacillus subtilis*. Crystal structure analysis of the icosahedral β_{60} capsid at 3·3 Å resolution, 1045
Lafer, E. M., Sousa, R. J. & Rich, A., Z-DNA-binding proteins in *Escherichia coli*. Purification, generation of monoclonal antibodies and gene isolation, 511
Lampbrush loops of *Drosophila hydei*, retrotransposon-like sequences are expressed, 689
Lanka, E. (see also Pinkney, M.), 927
Lankenau, D.-H. (see also Huijser, P.), 689
Larval cuticle gene of *Manduca sexta* homologous to *Drosophila* cuticle genes; structure and expression, 411
Laudano, A. (see also Bestor, T.), 971
Lavery, P. E. & Kowalczykowski, S. C., Biochemical basis of the temperature-inducible constitutive protease activity of the RecA441 protein of *Escherichia coli*, 861
Lawrence, C. W. (see also Leclerc, J. E.), 619
Lawrence, C. W. (see also Christensen, J. R.), 633
Leader, D. P. (see also Begg, C. E.), 677
Leader, D. P. (see also Peter, B.), 665
Leahy, D. J., Hynes, T. R., McConnell, H. M. & Fox, R. O., Crystallization of an anti-2,2,6,6-tetramethyl-1-piperidinyl-

oxy-dinitrophenyl monoclonal antibody Fab fragment with and without bound hapten, 829
Leclerc, J. E., Christensen, J. R., Tata, P. V., Christensen, R. B. & Lawrence, C. W., Ultraviolet light induces different spectra of *lacI* sequence changes in vegetative and conjugating cells of *Escherichia coli*, 619
Leclerc, J. E. (see also Christensen, J. R.), 633
Lectin, anti-T, from jackfruit (*Artocarpus integrifolia*), X-ray studies of two crystal forms, 1135
Lepier, A. (see also Lill, R.), 699
Lill, R., Lepier, A., Schwägele, F., Sprinzl, M., Vogt, H. & Wintermeyer, W., Specific recognition of the 3′-terminal adenosine $tRNA^{Phe}$ in the exit site of *Escherichia coli* ribosomes, 699
Lim, L. W. (see also Chen, L.), 1137
Lindberg, F. (see also Holmgren, A.), 279
Lindsley, D. (see also Weiss, R.), 403
Lipid layers, positively charged; two-dimensional crystals of *Escherichia coli* RNA polymerase holoenzyme, 269
Løbner-Olesen, A. (see also Gerdes, K.), 119
Long interspersed repetitive elements; duplicated region of mouse genome containing a cytoplasmic γ-actin processed pseudogene, 677
Lysozyme-Fab complexes, crystallization and X-ray studies, 527

McClain, W. H., Wilson, J. H. & Seidman, J. G., Genetic analysis of structure and function in phage T4 $tRNA^{Ser}$, 549
McConnell, H. M. (see also Leahy, D. J.), 829
Makinen, M. W. (see also Metzler, C. M.), 197
Makino, K., Shinagawa, H., Amemura, M., Kimura, S., Nakata, A. & Ishihama, A., Regulation of the phosphate regulon of *Escherichia coli*. Activation of *pstS* transcription by PhoB protein *in vitro*, 85
Makowski, I. (see also Yonath, A.), 831
mal regulon of *Escherichia coli* K-12, gene expression is increased by *rpoD* mutations, 15
Malaria gene, molecular basis for mutations, 707
Man, Y. M. (see also Peter, B.), 665
Manduca sexta larval cuticle gene homologous to *Drosophila* cuticle genes, structure and expression, 411
Mammalian upstream gene regions, co-localization of rare oligonucleotides and regulatory elements, 385
Marchantia polymorpha chloroplast genome, structure and organization; cloning and gene identification, 281
Marchantia polymorpha chloroplast genome, structure and organization; inverted repeat and small single copy regions, 353
Marchantia polymorpha chloroplast genome, structure and organization; the large single copy region from *rbcL* to *trnI*(CAU), 333
Marchantia polymorpha chloroplast genome, structure and organization; organization of the large single copy region from *rps12* to *atpB*, 299
Martin, R. F. (see also Murray, V.), 63
Mathews, F. S. (see also Chen, L.), 1137
Mattaliano, R. (see also Bestor, T.), 971
Mendelson, R. A. (see also Curmi, P. M. G.), 781
Messenger RNA, *ermA*, erythromycin-induced stabilization in *Staphylococcus aureus* and *Bacillus subtilis*, 905
mRNA, fibroin, silk, secondary structure, and the implications of specific codon usage pattern, 917
mRNA polyadenylation, transient alterations early during induction; estrogen-dependent activation of the avian very low density apolipoprotein II and vitellogenin genes, 555
mRNAs, two, different, are generated by single chicken cardiac myosin alkali light-chain gene, by alternative splicing of a complex exon, 895
Metal ion regulation of gene expression. Fur repressor–operator interaction at the promoter region of the aerobactin system of pColV-K30, 875
Metal oxidation in proteins; theoretical analysis of electrostatic effects of charge perturbations, 507
Methylamine dehydrogenase and methylamine dehydrogenase–amicyanin complexes from *Paracoccus denitrificans*, X-ray crystallographic studies, 1137
Metzler, C. M., Mitra, J., Metzler, D. E., Makinen, M. W., Hyde, C. C., Rodgers, P. H. & Arnone, A., Correlation of polarized absorption spectroscopic and X-ray diffraction studies of crystalline cytosolic aspartate aminotransferase of pig hearts, 197
Metzler, D. E. (see also Metzler, C. M.), 197
Miller, L. H. (see also Hudson, D. E.), 707
Mills, S. E. (see also Edwards, S. L.), 523
Mita, K., Ichimura, S., Zama, M. & James, T. C., Specific codon usage pattern and its implications on the secondary structure of silk fibroin mRNA, 917
Mitchell, M. (see also Stein, A.), 1029
Mitochondrial cytochrome *b* gene, mutational analysis, 607
Mitra, J. (see also Metzler, C. M.). 197
Model, P. (see also Fulford, W.), 39, 49
Molecular dynamics study of conformational differences between α-cyclodextrin in aqueous solution and in crystalline form, 241
Molecular packing of collagen, glycation induces expansion, 495
Moloney murine leukemia virus (see also Virus), 132
Monoclonal antibody Fab fragment, anti-2,2,6,6,-tetramethyl-1-piperidinyloxy-dinitrophenyl, crystallization with and without bound hapten, 829
Monoclonal antibody generation; *Z*-DNA-binding proteins in *E. coli*, 511
Morimoto, Y. (see also Tanaka, K.), 985
Mouse cytoskeletal γ-actin. Analysis and implications of the structure of cloned cDNA and processed pseudogenes, 665
Mouse genome, duplicated region containing a cytoplasmic γ-actin processed pseudogene associated with long interspersed repetitive elements, 677
Mouse mitochondrial cytochrome *b* gene, mutational analysis, 607
Müller, U. (see also Tyler-Smith, C.), 837
Murray, V. & Martin, R. F., Sequence specificity of ^{125}I-labelled Hoechst 33258 damage in six closely related DNA sequences, 63
Mutagenesis, directed; the TMV assembly origin RNA, 531
Mutagenesis, site-directed, of *E. coli* 23 S ribosomal RNA at position 1067 within the GTP hydrolysis centre, 457
Mutational analysis of the mouse mitochondrial cytochrome *b* gene, 607
Mutational analysis, string-searching program, 618
Mutations, *lacI*, induced by ultraviolet light; UmuC function is not essential, 635
Mutations in a malaria gene, molecular basis, 707
Mutations that alter the pore function of the OmpF porin of *Escherichia coli* K12, 961
Mutations in *rpoD* that increase expression of genes in the *mal* regulon of *Escherichia coli* K-12, 15
Mutations in *rpoD* that increase expression of the *lac* operon in the absence of CAP–cAMP, 29
Mutations in the Tn*10 tet* repressor that interfere with induction. Location of the tetracycline-binding domain, 949
Myeloma cells, expression of an antibody Fv fragment, 825
Myosins, smooth and non-muscle; active site trapping of nucleotide, 173
Myosin subfragment 1, bound to actin, and free in solution; comparison of structures, 781

Nabeshima, Y. (see also Nakamura, S.), 895
Nabeshima, Y.-I. (see also Nakamura, S.), 895
Naik, V. M. (see also Schiffer, M.), 799
Nakamura, S., Nabeshima, Y.-i., Kobayashi, H., Nabeshima, Y., Nonomura, Y. & Fujii-Kuriyama, Y., Single chicken cardiac myosin alkali light-chain gene generates two different mRNAs by alternative splicing of a complex exon, 895
Nakata, A. (see also Makino, K.), 85
Nappo, A. G. (see also Carlomagno, M. S.), 585
Neilands, J. B. (see also de Lorenzo, V.), 875
Neutron scattering study using actin made "invisible" by deuteration; comparison of structure of myosin subfragment 1 bound to actin and free in solution, 781
Nishigai, M. (see also Kitamoto, T.), 183
Nishigai, M. (see also Tanaka, K.), 985

Nitrogen fixation gene cluster of *Klebsiella pneumoniae*, in DNA fragment; nucleotide sequence, 715
Nonomura, Y. (see also Nakamura, S.), 895
Nuclear magnetic resonance spectroscopic determination of conformation of [Cd_7]-metallothionein-2 from rat liver in aqueous solution 251
Nucleosome spacing periodicities, different; origin of cell type specificity, 1029
Nucleotide, active site trapping by smooth and non-muscle myosin, 173
Nurse, K. (see also Wagenknecht, T.), 753
Nussbaum, A. & Cohen, A., Use of bioluminescence gene reporter for the investigation of Red-dependent and Gam-dependent plasmid recombination in *Escherichia coli* K12, 391

Occi, J. L. (see also Benson, S. A.), 961
Ofengand, J. (see also Wagenknecht, T.), 753
Ohyama, K., Fukuzawa, H., Kohchi, T., Sano, T., Sano, S., Shirai, H., Umesono, K., Shiki, T., Takeuchi, M., Chang, Z., Aota, S.-i., Inokuchi, H. & Ozeki, H., Structure and organization of *Marchantia polymorpha* chloroplast genome. I. Cloning and gene identification, 281
Ohyama, K. (see also Fukuzawa, H.), 333
Ohyama, K. (see also Kohchi, T.), 353
Ohyama, K. (see also Umesono, K.), 299
Oligonucleotides, rare, and regulatory elements, co-localization in mammalian upstream gene regions, 385
Organization, molecular, of a high molecular weight multi-protease complex from rat liver, 985
Outer membrane of *Bordetella pertussis*, naturally crystalline porin, 275
Outer membrane protein, *E. coli*, role of the mature part in translocation across the plasma membrane, 517
OmpF porin of *Escherichia coli* K12; mutations that alter the pore function, 961
Oxygen dissociation from ferrous subunits of iron–cobalt hybrid hemoglobins; transient kinetics, 1119
Ozeki, H. (see also Fukuzawa, H.), 333
Ozeki, H. (see also Kohchi, T.), 353
Ozeki, H. (see also Ohyama, K.), 281
Ozeki, H. (see also Umesono, K.), 299

PapD crystals from uropathogenic *Escherichia coli*, X-ray study, 279
Paracoccus denitrificans, X-ray crystallographic studies of methylamine dehydrogenase and methylamine dehydrogenase–amicyanin complexes, 1137
parB locus of plasmid R1, key elements regulating post-segregational expression of the encoded killer protein, 119
Patanjali, S. R. (see also Dhanaraj, V.), 1135
pColV-K30, Fur repressor–operator interaction at the promoter region of the aerobactin system; metal ion regulation of gene expression, 875
Peter, B., Man, Y. M., Begg, C. E., Gall, I. & Leader, D. P., Mouse cytoskeletal γ-actin: analysis and implications of the structure of cloned cDNA and processed pseudogenes, 665
Phage T4 β-glucosyltransferase, crystallization and X-ray studies, 525
Phage T4 $tRNA^{Ser}$, genetic analysis of structure and function, 549
PhoB protein activation of *pstS* transcription *in vitro*; regulation of the phosphate regulon of *E. coli*, 85
Phosphate regulon regulation in *E. coli*; activation of *pstS* transcription by PhoB protein *in vitro*, 85
Phospholipase C, phosphatidylinositol-specific, solubilization of acetylcholinesterase from *Torpedo californica*, 821
Phylogenetic footprints of embryonic ε and γ globin genes of *Galago crassicaudatus*, 439
Pierce, D. W. (see also Darst, S. A.), 269
Pierce, J. (see also Walter, R. B.), 939
Pig hearts, polarized absorption spectroscopic and X-ray diffraction studies of crystalline cytosolic aspartate aminotransferase, 197
Pig plasma gelsolin, nucleotide sequence; comparison with human gelsolin, 1127
Pinkney, M., Diaz, R., Lanka, E. & Thomas, C. M., Replication of mini RK2 plasmid in extracts of *Escherichia coli* requires plasmid-encoded protein TrfA and host-encoded proteins DnaA, B, G, DNA gyrase and DNA polymerase, III, 927
Plasmid recombination, Red-dependent and Gam-dependent, in *E.* coli K12, use of a bioluminescence gene reporter, 391
Plasmid R1, key elements regulating postsegregational expression of the killer protein encoded by the *parB* locus, 119
Polarized absorption spectroscopic and X-ray diffraction studies of crystalline cytosolic aspartate aminotransferase of pig hearts, 197
Poljak, R. J. (see also Fischmann, T.), 527
Polyomavirus DNA, RNA polymerases stall and/or prematurely terminate nearby both early and late promoters, 153
Poly(U) and poly(dT) template activity, a comparison; the role of a template sugar-phosphate backbone in the ribosomal decoding mechanism, 885
Pore function of the OmpF porin of *Escherichia coli* K12, alteration by mutations, 961
Porin, naturally crystalline, in the outer membrane of *Bordetella pertussis*, 275
Porin, OmpF, of *Escherichia coli* K12; mutations that alter the pore function, 961
Postsegregational expression of the killer protein encoded by the *parB* locus of plasmid R1; key regulation elements, 119
Potapov, A. P., Soldatkin, K. A., Soldatkin, A. P. & El'skaya, A. V., Role of a template sugar-phosphate backbone in the ribosomal decoding mechanism. Comparative study of poly(U) and poly(dT) template activity, 885
Priefer, U. B. (see also Arnold, W.), 715
Promoter sequence and cell type can dramatically affect the efficiency of transcriptional activation induced by HSV-1 and its IE gene products Vmw175 and Vmw110, 739
Prosimian primate (*Galago crassicaudatus*), embryonic ε and γ globin genes, 439
Protease, multifunctional, high molecular weight, from rat liver; molecular organization, 985
Protein-induced bending of the simian virus 40 origin of replication, 1009
Proteins, analysis and prediction of the different types of β-turn, 221
Proteolytic dissection and electron microscopic studies of the structure of fatty acid synthetase from the Harderian gland of guinea pig, 183
Proviral integration: the required gene product of Moloney murine leukemia virus is a DNA-binding protein, 131
Pseudogene γ-actin, associated with long interspersed repetitive elements; duplicated region of mouse genome, 677
Pseudogenes; mouse cytoskeletal γ-actin, 665
Pseudogene, transcriptionally active, in the chorion locus of the silkmoth *Bombyx mori*; regional sequence conservation and biological function, 849
pstS transcription activation by PhoB protein *in vitro*; regulation of the phosphate regulon of *E. coli*, 85
Pugh, B. F. & Cox, M. M., General mechanism for RecA protein binding to duplex DNA, 479
Pühler, A. (see also Arnold, W.), 715

Ramakrishnan, V. (see also Graziano, V.), 997
Rat liver [Cd_7]-metallothionein-2, conformation in aqueous solution determined by n.m.r. spectroscopy, 251
Rat liver, molecular organization of a high molecular weight multi-protease complex, 985
Rebers, J. E. & Riddiford, L. M., Structure and expression of a *Manduca sexta* larval cuticle gene homologous to *Drosophila* cuticle genes, 421
RecA protein binding to duplex DNA; general mechanism, 479
RecA441 protein of *E. coli*, biochemical basis of the temperature-inducible constitutive protease activity, 861
Recombination, plasmid, Red-dependent and Gam-dependent, in *E. coli* K12; use of a bioluminescence gene reporter, 391
Recombination, *vir*-induced, in *Agrobacterium*; physical characterization of T-circle formation, 373

Red-dependent plasmid recombination in *E. coli* K12, investigated by bioluminescence gene reporter, 391
Regan, L. (see also Frederick, C. A.), 521
Regulated expression of a human *HSP70* gene; *cis*-acting elements involved, 97
Regulation of bacteriophage f1 DNA replication; new functions for genes *II* and *X*, 49
Regulation of *Escherichia coli* release factor 2, use of tRNA suppressors as probes, 75
Regulation, metal ion, of gene expression. Fur repressor–operator interaction at the promoter region of the aerobactin system of pColV-K30, 875
Regulation of the phosphate regulon of *Escherichia coli*. Activation of *pstS* transcription by PhoB protein *in vitro*, 85
Regulators, positive and negative, for glucitol (*gut*) operon expression in *Escherichia coli*, 569
Regulation of post-segregational expression of the killer protein encoded by the *parB* locus of plasmid R1, 119
Regulatory elements and rare oligonucleotides, co-localization in mammalian upstream gene regions, 385
Release factor 2, *Escherichia coli*, use of tRNA suppressors to probe regulation, 75
Repeat length variability, origin, 1029
Replication of mini RK2 plasmid in extracts of *Escherichia coli* requires plasmid-encoded protein TrfA and host-encoded proteins DnaA, B, G, DNA gyrase and DNA polymerase III, 927
Replication origin, SV40; protein-induced bending, 1009
Retrotransposon-like sequences are expressed in Y chromosomal lampbrush loops of *Drosophila hydei*, 689
Ribi, H. O. (see also Darst, S. A.), 269
RNA, assembly origin, TMV; functional characteristics defined by directed mutagenesis, 531
RNA polymerase, *E. coli*; *rpoD* mutations increase expression of the *lac* operon in the absence of CAP–cAMP, 29
RNA polymerase holoenzyme, *Escherichia coli*, two-dimensional crystals on positively charged lipid layers, 269
RNA polymerases stall and/or prematurely terminate nearby both early and late promoters on polyomavirus DNA, 153
RNA, 23 S ribosomal, *E. coli*, site-directed mutagenesis at position 1067 within the GTP hydrolysis centre, 457
Ribosomal decoding mechanism, role of a template sugar-phosphate backbone; comparative study of poly(U) and poly(dT) template activity, 885
Ribosomal frameshifting at hungry codons; mechanism, 403
Ribosomal protein synthesis, non-autogenous control, from the *trmD* operon in *E. coli*, 141
Ribosomal 23 S RNA, *E. coli*, site-directed mutagenesis at position 1067 within the GTP hydrolysis centre, 457
Ribosomal 30 S subunit of *E. coli*, direct localization of the tRNA–anticodon interaction site by electron microscopy and computerized image averaging, 753
Ribosomal subunits, small, characterization of crystals, 831
Ribosomes, *E. coli*, specific recognition of the 3′-terminal adenosine of $tRNA^{Phe}$ in the exit site, 699
Rich, A. (see also Frederick, C. A.), 521
Rich, A. (see also Lafer, C. M.), 511
Riddiford, L. M. (see also Rebers, J. E.), 411
Riechmann, L., Foote, J. & Winter, G., Expression of an antibody Fv fragment in myeloma cells, 825
Riottot, M.-M. (see also Fischmann, T.), 527
RK2 plasmid replication in extracts of *E. coli* requires plasmid-encoded protein TrfA and host-encoded proteins DnaA, B, G, DNA gyrase and DNA polymerase III, 927
Rogers, P. H. (see also Metzler, C. M.), 197
Roth, M. J., Tanese, N. & Goff, S. P., Gene product of Moloney murine leukemia virus required for proviral integration is a DNA-binding protein, 131
rpoD mutations that increase expression of the *lac* operon in the absence of CAP–cAMP, 29
rpoD mutations that increase gene expression in the *mal* regulon of *Escherichia coli* K-12, 15
Rüger, W. (see also Freemont, P. S.), 525
Rump, A. (see also Arnold, W.), 715

Saenger, W. (see also Koehler, J. E. H.), 241
Saier, M. H., Jr (see also Yamada, M.), 569
Salmonella typhimurium histidine operon, structure and function, 585
Salt bridges, dominant role; analysis of immunoglobulin domain interactions, 799
Sampson, B. A. (see also Benson, S. A.), 961
Sandler, P. & Weisblum, B., Erythromycin-induced stabilization of *ermA* messenger RNA in *Staphylococcus aureus* and *Bacillus subtilis*, 905
Sano, S. (see also Ohyama, K.), 281
Sano, T. (see also Fukuzawa, H.), 333
Sano, T. (see also Kohchi, T.), 353
Sano, T. (see also Ohyama, K.), 281
Sasaki, T. (see also Kitamoto, T.), 183
Sato, M. (see also Tanaka, K.), 985
Schiffer, M., Chang, C.-H., Naik, V. M. & Stevens, F. J., Analysis of immunoglobulin domain interactions. Evidence for a dominant role of salt bridges, 799
Schiller, P., Amin, J., Ananthan, J., Brown, M. E., Scott, W. A. & Voellmy, R., *Cis*-acting elements involved in the regulated expression of a human *HSP70* gene, 97
Schiller, P. (see also Brown, M. E.), 107
Schimmel, P. (see also Frederick, C. A.), 521
Schneider, D. K. (see also Curmi, P. M. G.), 781
Schneider, M. (see also Ladenstein, R.), 1045
Schott, K. (see also Ladenstein, R.), 1045
Schultze, P., Wörgötter, E., Braun, W., Wagner, G., Vašák, M., Kagi, J. H. R. & Wüthrich, K., Conformation of $[Cd_7]$-metallothionein-2 from rat liver in aqueous solution determined by nuclear magnetic resonance spectroscopy, 251
Schulz, G. E. (see also Dreusicke, D.), 1021
Schwägele, F. (see also Lill, R.), 699
Scott, W. A. (see also Brown, M. E.), 107
Scott, W. A. (see also Schiller, P.), 97
Seidman, J. G. (see also McClain, W. H.), 549
Sequencing of a cDNA encoding DNA methyltransferase of mouse cells, 971
Sequence changes, *lacI*, in vegetative and conjugating cells of *Escherichia coli*; ultraviolet light induces different spectra, 619
Sequence, DNA, tandemly repeated, hypervariable, on the short arm of the human Y chromosome; structure, 837
Sequences, nucleotide and amino acid, of embryonic ε and γ globin genes of *Galago crassicaudatus*, 439
Sequence, nucleotide, of a 24,206-base-pair DNA fragment carrying the entire nitrogen fixation gene cluster of *Klebsiella pneumoniae*, 715
Sequence, nucleotide, of pig plasma gelsolin; comparison with human gelsolin, 1127
Sequences, retrotransposon-like, are expressed in Y chromosomal lampbrush loops of *Drosophila hydei*, 689
Sequence specificity of ^{125}I-labelled Hoechst 33258 damage in six closely related DNA sequences, 63
Shiki, T. (see also Ohyama, K.), 281
Shiki, Y. (see also Umesono, K.), 299
Shinagawa, H. (see also Makino, K.), 85
Shirai, H. (see also Fukuzawa, H.), 333
Shirai, H. (see also Kohchi, T.), 353
Shirai, H. (see also Ohyama, K.), 281
Shirai, H. (see also Umesono, K.), 299
Siegele, D. A., Hu, J. C. & Gross, C. A., Mutations in *rpoD*, the gene encoding the σ^{70} subunit of *Escherichia coli* RNA polymerase, that increase expression of the *lac* operon in the absence of CAP-cAMP, 29
σ^{70} subunit of *Escherichia coli* RNA polymerase; *rpoD* mutations increase expression of the *lac* operon in the absence of CAP–cAMP, 29
Silk fibroin mRNA secondary structure, and specific codon usage pattern, 917
Silman, I. (see also Sussman, J. L.), 821
Silverman, P. M. (see also Weber, R. F.), 467
Simian virus 40 (see also Virus, 1009
Skarnes, W. C., Tessier, D. C. & Acheson, N. H., RNA polymerases stall and/or prematurely terminate nearby both early and late promoters on polyomavirus DNA, 153
Skarżyński, T. & Wonacott, A. J., Coenzyme-induced conformational changes in glyceraldehyde-3-phosphate dehydrogenase from *Bacillus stearothermophilus*, 1097

Skeletal muscle, turkey, refined crystal structure of troponin C at 2·0 Å resolution, 761
Slightom, J. L. (see also Tagle, D. A.), 439
Smith, L. D. & Bertrand, K. P., Mutations in the Tn*10 tet* repressor that interfere with induction. Location of the tetracycline-binding domain, 949
Soldatkin, A. P. (see also Potapov, A. P.), 885
Soldatkin, K. A. (see also Potapov, A. P.), 885
Souchon, H. (see also Fischmann, T.), 527
Sousa, R. J. (see also Lafer, E. M.), 511
Spacing periodicities, nucleosome, different, *in vitro*; origin of cell type specificity, 1029
Specific binding of integration host factor to sites in the *ilvGMEDA* operon in *E. coli*, 817
Specific codon usage pattern and its implications on the secondary structure of silk fibroin mRNA, 917
Specific recognition of the 3′-terminal adenosine of $tRNA^{Phe}$ in the exit site of *Escherichia coli* ribosomes, 699
Sprinzl, M. (see also Lill, R.), 699
Spudich, J. A. (see also Curmi, P. M. G.), 781
Stabilization, erythromycin-induced, of *ermA* mRNA in *Staphylococcus aureus* and *Bacillus subtilis*, 905
Stalling and premature termination by RNA polymerases, 153
Staphylococcus aureus, erythromycin-induced stabilization of *ermA* mRNA, 905
Stein, A. & Mitchell, M., Generation of different nucleosome spacing periodicities *in vitro*. Possible origin of cell type specificity, 1029
Steven, A. C. (see also Kessel, M.), 275
Stevens, F. J. (see also Schiffer, M.), 799
Stone, D. B. (see also Curmi, P. M. G.), 781
Strand synthesis, complementary, the roles of gene *V* protein and gene *II* protein; f1 DNA replication genes, 39
String-searching program for mutational analysis, 618
Structure of aspartate aminotransferase at 2·8 Å resolution using crystallographic refinement by simulated annealing, 803
Structure of azurin from *Alcaligenes denitrificans*. Refinement of 1·8 Å resolution and comparison of the two crystallographically independent molecules, 1071
Structure, chromatin, higher-order, reconstitution from histone H5 and depleted chromatin, 997
Structure of cloned cDNA and processed pseudogenes, analysis and implications; mouse cytoskeletal γ-actin, 665
Structure of CpxA polypeptide as an inner membrane component, 467
Structure and expression of a *Manduca sexta* larval cuticle gene homologous to *Drosophila* cuticle genes, 411
Structure of fatty acid synthetase from the Harderian gland of guinea pig. Proteolytic dissection and electron microscopic studies, 183
Structure and function in phage T4 $tRNA^{Ser}$, genetic analysis, 549
Structure and functions of the *Salmonella typhimurium* and *Escherichia coli* K-12 histidine operon, 585
Structure of a hypervariable tandemly repeated DNA sequence on the short arm of the human Y chromosome, 837
Structure of myosin subfragment 1 bound to actin and free in solution; a comparison, 781
Structure and organization of *Marchantia polymorpha*; cloning and gene identification, 281
Structure and organization of *Marchantia polymorpha* chloroplast genome; gene organization of the large single copy region from *rbcL* to *trn*I(CAU), 333
Structure and organization of *Marchantia polymorpha* chloroplast genome; gene organization of the large single copy region from *rps12* to *atpB*, 299
Structure and organization of *Marchantia polymorpha* chloroplast genome; inverted repeat and small single copy regions, 353
Structure, secondary, of silk fibroin mRNA, and a specific codon usage pattern, 917
Structure of troponin C from turkey skeletal muscle at 2·0 Å resolution, 761
Surolia, A. (see also Dhanaraj, V.), 1135
Sussman, J. L., Harel, M., Frolow, F., Varon, L., Toker, L., Futerman, A. H. & Silman, I., Purification and crystallization of a dimeric form of acetylcholinesterase from *Torpedo californica* subsequent to solubilization with phosphatidylinositol-specific phospholipase C, 821

T4 (see also Phage), 525, 549
Tagle, D. A., Koop, B. F., Goodman, M., Slightom, J. L., Hess, D. L. & Jones, R. T., Embryonic ε and γ globin genes of a prosimian primate (*Galago crassicaudatus*,). Nucleotide and amino acid sequences, developmental regulation and phylogenetic footprints, 439
Takagi, T. (see also Tanaka, K.), 985
Takeuchi, M. (see also Ohyama, K.), 281
Takeuchi, M. (see also Umesono, K.), 299
Tanaka, N. (see also Tanaka, K.), 985
Tanaka, K., Yoshimura, T., Ichihara, A., Ikai, A., Nishigai, M., Morimoto, Y., Sato, M., Tanaka, N., Katsube, Y., Kameyama, K. & Takagi, T., Molecular organization of a high molecular weight multi-protease complex from rat liver, 985
Tanaka, S., Avigad, G., Brodsky, B. & Eikenberry, E. F., Glycation induces expansion of the molecular packing of collagen, 495
Tanese, N. (see also Roth, M. J.), 131
Tang, M.-S. (see also Walter, R. B.), 939
Tata, P. V. (see also Christensen, J. R.), 633
Tata, P. V. (see also LeClerc, J. E.), 619
Taylor, L. (see also Tyler-Smith, C.), 837
T-circle formation, physical characterization; *vir*-induced recombination in *Agrobacterium*, 373
Tello, D. (see also Fischmann, T.), 527
Temperature-inducible constitutive protease activity of the RecA441 protein of *Escherichia coli*; biochemical basis, 861
Template sugar-phosphate backbone, role in the ribosomal decoding mechanism; comparative study of poly(U) and poly(dT) template activity, 885
Tennent, J. M. (see also Holmgren, A.), 279
Termination, premature, by RNA polymerases, 153
Tessier, D. C. (see also Skarnes, W. C.), 153
Tetracycline-binding domain location. Mutations in the Tn*10 tet* repressor that interfere with induction, 949
Thomas, C. M. (see also Pinkney, M.), 927
Thompson, J., Cundliffe, E. & Dahlberg, A. E., Site-directed mutagenesis of *Escherichia coli* 23 S ribosomal RNA at position 1067 within the GTP hydrolysis centre, 457
Thornton, J. M. (see also Wilmot, C. M.), 221
3′-terminal adenosine of $tRNA^{Phe}$ in the exit site of *E. coli* ribosomes; specific recognition, 699
Timmerman, B., van Montagu, M. & Zambryski, P., *vir*-induced recombination in *Agrobacterium*. Physical characterization of precise and imprecise T-circle formation, 373
Tobacco mosaic virus (see also Virus), 531
Toker, L. (see also Sussman, J. L.), 821
Torpedo californica, purification and crystallization of a dimeric form of acetylcholinesterase, subsequent to solubilization with phosphatidylinositol-specific phospholipase, C, 821
Transcriptional activation at adjacent operators in the divergent-overlapping *ilvY* and *ilvC* promoters of *Escherichia coli*, 643
Transcriptional activation induced by herpes simplex virus type 1 and its immediate-early gene products Vmw175 and Vmw110; promoter sequence and cell type can dramatically affect the efficiency, 739
Transcriptionally active pseudogene in the chorion locus of *Bombyx mori*, 849
tRNA–anticodon interaction site, direct localization on the *E. coli* 30 S ribosomal subunit by electron microscopy and computerized image averaging, 753
tRNA suppressors to probe regulation of *Escherichia coli* release factor 2, 75
$tRNA^{Phe}$, specific recognition of the 3′-terminal adenosine in the exit site of *Escherichia coli* ribosomes, 699
$tRNA^{Ser}$, phage T4, genetic analysis of structure and function, 549
Translocation across the plasma membrane, role of the mature part of an *E. coli* outer membrane protein, 517

Tn*10* *tet* repressor mutations that interfere with induction. Location of the tetracycline-binding domain, 949
TrfA and replication of mini RK2 plasmid in extracts of *E. coli*, 927
trmD operon in *E. coli*, non-autogenous control of ribosomal protein synthesis, 141
Troponin C from turkey skeletal muscle, refined crystal structure at 2·0 Å resolution, 761
Trus, B. L. (see also Kessel, M.), 275
T-state binding properties of naturally glycated hemoglobin, HbA_{1c}, 233
Tsui, P. & Freundlich, M., Integration host factor binds specifically to sites in the *ilvGMEDA* operon in *Escherichia coli*, 817
Turkey skeletal muscle, refined crystal structure of troponin C at 2·0 Å resolution, 761
Turner, D. R., Joyce, L. E. & Butler, P. J. G., The tobacco mosiac virus assembly origin RNA. Functional characteristics defined by directed mutagenesis, 531
β-Turns in proteins, analysis and prediction of the different types, 221
Tyler-Smith, C., Taylor, L. & Müller, U., Structure of a hypervariable tandemly repeated DNA sequence on the short arm of the human Y chromosome, 837

Ultraviolet light induces different spectra of *lacI* sequence changes in vegetative and conjugating cells of *Escherichia coli*, 619
Ultraviolet light-induced *lacI* mutations; UmuC function is not essential, 635
Umesono, K., Inokuchi, H., Shiki, Y., Takeuchi, M., Chang, Z., Fukuzawa, H., Kohchi, T., Shirai, H., Ohyama, K. & Ozeki, H., Structure and organization of *Marchantia polymorpha* chloroplast genome. II. Gene organization of the large single copy region from *rps12* to *atpB*, 299
Umesono, K. (see also Fukuzawa, H.), 333
Umesono, K. (see also Kohchi, T.), 353
Umesono, K. (see also Ohyama, K.), 281
UmuC function is not essential for the production of all targeted *lacI* mutations induced by ultraviolet light, 635
Uropathogenic *Escherichia coli*, X-ray study of PapD crystals, 279
UVRABC nuclease recognition of the DNA helix stabilizing anthramycin–N2 guanine adduct, 939

van Gunsteren, W. F. (see also Koehler, J. E. H.), 241
van Montagu, M. (see also Timmerman, B.), 373
Varon, L. (see also Sussman, J. L.), 821
Vašák, M. (see also Schultze, P.), 251
Vertebrate genome DNA, global variation in G+C content; correlation with chromosome band structures, 1
Vijayan, M. (see also Dhanaraj, V.), 1135
vir-induced recombination in *Agrobacterium*. Physical characterization of precise and imprecise T-circle formation 373
Virus, herpes simplex virus type 1, and its immediate-early gene products Vmw175 and Vmw110, and the induction of transcriptional activation; promoter sequence and cell type can dramatically affect the efficiency, 739
Virus, Moloney murine leukemia, gene product required for proviral integration is a DNA-binding protein, 131
Virus, SV40, protein-induced bending of the origin of replication, 1009
Virus, tobacco mosaic, assembly origin RNA; functional characteristics defined by directed mutagenesis, 531
Vitellogenin gene, estrogen-dependent activation, 555
Vmw175 and Vmw110 IE gene products of HSV-1; promoter sequence and cell type can dramatically affect the efficiency of transcriptional activation, 739
Voellmy, R. (see also Brown, M. E.), 107
Voellmy, R. (see also Schiller, P.), 97
Vogt, H. (see also Lill, R.), 699
Volinia, S., Bernardi, F., Gambari, R. & Barrai, I., Co-localization of rare oligonucleotides and regulatory elements in mammalian upstream gene regions, 385
von Böhlen, K. (see also Yonath, A.), 831

Wagenknecht, T., Frank, J., Boublik, M., Nurse, K. & Ofengand, J., Direct localization of the tRNA–anticodon interaction site on the *Escherichia coli* 30 S ribosomal subunit by electron microscopy and computerized image averaging, 753
Wagner, G. (see also Schultze, P.), 251
Walter, R. B., Pierce, J., Case, R. & Tang, M.-S., Recognition of the DNA helix stabilizing anthramycin–N2 guanine adduct by UVRABC nuclease, 939
Wang, A. H.-J. (see also Frederick, C. A.), 521
Way, M. & Weeds, A., Nucleotide sequence of pig plasma gelsolin. Comparison of protein sequence with human gelsolin and other actin-severing proteins shows strong homologies and evidence for large internal repeats, 1127
Weber, R. F. & Silverman, P. M., The Cpx proteins of *Escherichia coli* K12. Structure of the CpxA polypeptide as an inner membrane component, 467
Weeds, A. (see also Way, M.), 1127
Weisblum, B. (see also Sandler, P.), 905
Weiss, R., Lindsley, D., Falahee, B. & Gallant, J., On the mechanism of ribosomal frameshifting at hungry codons, 403
Wek, R. C. & Hatfield, G. W., Transcriptional activation at adjacent operators in the divergent-overlapping *ilvY* and *ilvC* promoters of *Escherichia coli*, 643
Wellems, T. E. (see also Hudson, D. E.), 707
Wikström, P. M., Byström, A. S. & Björk, G. R., Non-autogenous control of ribosomal protein synthesis from the *trmD* operon in *Escherichia coli*, 141
Wilmot, C. M. & Thornton, J. M., Analysis and prediction of the different types of β-turn in proteins, 221
Wilson, J. H. (see also McClain, W. H.), 549
Wilson, K. (see also Ladenstein, R.), 1045
Winter, G. (see also Riechmann, L.), 825
Wintermeyer, W. (see also Lill, R.), 699
Wittmann, H. G. (see also Yonath, A.), 831
Wonacott, A. J. (see also Skarżyński, T.), 1097
Wörgötter, E. (see also Schultze, P.), 251
Wüthrich, K. (see also Schultze, P.), 251

X-ray crystallographic studies of methylamine dehydrogenase and methylamine dehydrogenase–amicyanin complexes from *Paracoccus denitrificans*, 1137
X-ray diffraction and polarized absorption spectroscopic studies of crystalline cytosolic aspartate aminotransferase of pig hearts. 197
X-ray studies of T4 phage β-glucosyltransferase, 525
X-ray studies of two crystal forms of the anti-T lectin from jackfruit (*Artocarpus integrifolia*), 1135
X-ray studies of two new antigen–antibody (lysozyme–Fab) complexes, 527
X-ray study of PapD crystals from uropathogenic *Escherichia coli*, 279
Xuong, N. H. (see also Edwards, S. L.), 523

Y chromosomal lampbrush loops of *Drosophila hydei*, retrotransposon-like sequences are expressed, 689
Y chromosome, human, structure of a hypervariable tandemly repeated DNA sequence on the short arm, 837
Yamada, M. & Saier, M. H., Jr, Positive and negative regulators for glucitol (*gut*) operon expression in *Escherichia coli*, 569
Yarus, M. (see also Curran, J. F.), 75
Yonath, A., Glotz, C., Gewitz, H. S., Bartels, K. S., von Böhlen, K., Makowski, I. & Wittmann, H. G., Characterization of crystals of small ribosomal subunits, 831
Yonetani, T. (see also Kitagishi, K.), 1119
Yoshimura, T. (see also Tanaka, K.), 985

Zama, M. (see also Mita, K.), 917
Zambryski, P. (see also Timmerman, B.), 373
Z-DNA-binding proteins in *E. coli*. Purification, generation of monoclonal antibodies and gene isolation, 511